



NLG makes it easy
to stop drops, with
clever tool tethering
and simple training.





1

Tether Point

Create a secure attachment point on the tool.

[Page 5](#)

2

Tool Lanyard

Choose the best tool lanyard for your task.

[Page 15](#)

3

Anchor Point

Select between wristband, belt, harness or fixed point.

[Page 29](#)



Storage

The most advanced tool safety bags and storage equipment designed for working at height.

[Page 33](#)

New

Kits

Everything you need to get started, in one pack.

[Page 45](#)

[Accessories](#) [Page 53](#)

[Support Services](#) [Page 55](#)

Dropped tools are killing productivity, profits and people.

Across many developed countries, dropped objects claim a staggering second place on the leaderboard of workplace killers.

For years, they have posed a difficult hazard to manage. But now, with the support of NLG, we see progressive organisations reject the uncertainty and exposure that threatened them and perhaps for less than the cost of an incident, stop dropped tools forever.

In these pages you'll find a robust range that's designed to perform, tested in the harshest environments and approved by the most demanding Health & Safety professionals. All serial numbered, third-party tested and CE marked to give you that extra piece of mind.



Get everything you need to know about dropped objects in one handbook.

Download yours free:
neverletgo.com/handbook

Tether Points



Tether Tape™

5KG / 11LBS
101355

Orange Tether Tape™
101479



Tether Tape™ uses advanced self-fusing silicone technology to create load rated tether points on any tool in seconds.

SPECIFICATION

Self-fusing stretch activation allows for quick and simple installation - no extra tools required / Adhesive free design means no sticky residue left on the tool when removed / Fibreglass reinforcement mesh, for high strength and durability / Adds comfortable ergonomic grip to tool handles / Inherently flame retardant and when burned forms a non-conductive ash / Effective temperature range: - 50C to 250C / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 25mm x 2.8M

INSTRUCTIONS

- 1 / Select the correct D Ring Tether for you tool.
- 2 / Cut a length of Tether Tape™ long enough to wrap around the tool at least 8 times. Remove the plastic backing.
- 3 / Check the tool is clean and locate the D Ring Tether, ensuring that the label is facing up. Wrap the Tether Tape™ around the D Ring Tether, leaving the webbing catch exposed.
- 4 / Ensure that the Tether Tape™ is firmly stretched during application. The self-fusing technology is activated when stretched between 5-10% and causes it to fuse permanently.
- 5 / Test the tether point before putting the tool into use.






Large D Ring Tool Tether

3KG / 6.6LBS
101362

Attach the Large D Ring Tool Tether with Tether Tape™ to create an instant attachment point on any large hand tool.

SPECIFICATION

Super strong welded D Ring / Extended product life with high strength, wear resistant webbing / Extra deep catch design for ultimate security / Faster visual inspections with contrast stitching / Works with Tether Tape™ / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 100mm x 25mm




Small D Ring Tool Tether

1KG / 2.2LBS
101361

Attach the Small D Ring Tool Tether with Tether Tape™ to create an instant attachment point on any small hand tool.

SPECIFICATION

Super strong welded D Ring / Extended product life with high strength, wear resistant webbing / Extra deep catch design for ultimate security / Faster visual inspections with contrast stitching / Works with Tether Tape™ / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 60mm x 12mm



Non-Conductive D Ring Tool Tether

1KG / 2.2LBS
101375

Attach the Non-Conductive D Ring Tool Tether with Tether Tape™ to create an instant metal-free attachment point on any small hand tool.

SPECIFICATION

Non-conductive, lightweight ballistic plastic D Ring / Extended product life with high strength, wear resistant webbing / Extra deep catch design for ultimate security / Faster visual inspections with contrast stitching / Works with Tether Tape™ / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 60mm x 12mm

Tether Loop™

3KG / 6.6LBS

120mm 101380

150mm 101381

170mm 101413

Tether Loops™ make great all-round tether points that are effortless to self-install, anywhere at anytime.

SPECIFICATION

Installation is fast and easy with secure locking thumb screw / Tough aircraft grade steel core / Anti-puncture, abrasion resistant PU protective sleeve makes maintenance effortless / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor]



Tether Ring™

1KG / 2.2LBS

19mm 101466

25mm 101273

38mm 101275

Tether Rings™ are the economical answer for creating a tether point on tools with a shaped mid-section or captive hole.

SPECIFICATION

Cost effective tether point for broad range of tools / Straightforward installation process / Anti-corrosion coating for use in harsh environments / Dynamic load tested and third party certified [2:1 safety factor]



Tether Shackle

10KG / 22LBS

Small 101601
Med 101602
Large 101603
XL 101604

Stainless Steel shackles create a super simple tether point for 'waisted' or tapered tools that have a narrower mid-section, a spanner/wrench for example. They also work well for tools that have a pre-manufactured hole, creating a very strong tether point.

SPECIFICATION

Stainless Steel (#304) / Flush pin - to prevent snagging and accidental release/ ANSI121:2018 / CE Marked / UKCA Marked / Third Party Tested / 10KG / Unique serial number



SIZING

S / 6mm / Inside: 21 x 12mm
M / 8mm / Inside: 28 x 17mm
L / 10mm / Inside: 35 x 20mm
XL / 12mm / Inside: 40 x 24mm

Spin Tether™

0.5 KG / 1.1 LBS
3.9-9mm Shafts 101670



The NLG Spin Tether is a screwdriver tether specifically designed to securely tether screwdrivers of differing diameters, without damaging or hindering usability of the tools.

SPECIFICATION

Uncomplicated design allows fast and trouble-free installation / Spins freely when in use to avoid tangles & knots / Dynamic load tested and third party certified (2:1 safety factor)

360 D Ring Loop

3KG / 6.6LBS
101363

The 360 D Ring Loop Tool Tether is the fastest way to create a anti-tangle tether point on tools with a captive hole or handle.

SPECIFICATION

Robust, tangle-free 360 D Ring / Faster visual inspections with contrast stitching / Rugged climbing cord loop allows for quick cinching / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 200mm x 25mm [cord loop: 130mm]



360 D Ring Locking Loop Tool Tether

3KG / 6.6LBS
101495

The NLG D Ring Locking Loop is a very versatile attachment point with a wide range of uses, from tethering individual bolts to creating load rated tether points on long-handled tools such as nips.

SPECIFICATION

Unique self-tightening loop design constructed from strong climbing cord / Tough plastic toggle for fast and secure cinching / Robust, tangle-free 360° D Ring / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: 400mm x 25mm [cord loop: 280mm]



101367



Tether Choke™

18KG / 39.6LBS
101367

The Tether Choke™ is the heavy-weight tether point for big tools and simply cinches around a captive hole or handle.

101368



Single Arm

101368

Built for big power tools, the Single Securing Arm locks the Tether Choke™ in position and prevents accidental engagement if dropped.

101369



Twin Arm

101369

The Twin Arms of the Tether Choke™ make it the safest tether point for heavy straight-shafted tools.

SPECIFICATION

Optimised V Ring design for extreme performance / Extra high strength webbing delivers ultimate peace of mind / Faster visual inspections with heavy-duty contrast stitching / Clever contrast wear indicators ensure early warning of any structural damage / Ergonomic and comfortable grip optimised for use on handles / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 340mm x 25mm

Mini Adhesive D Ring

1KG / 2.2LBS
101481

The Mini Adhesive D Ring is speedy to apply and gives extreme adhesion on even curved surfaces.

SPECIFICATION

Uses trusted 3M® adhesive technology to create fast sticking tether point / Ideal for phones, electronic equipment and small tools / Adheres to most surfaces including curved profiles / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 30mm x 20mm



Radio Pouch

1KG / 2.2LBS
101418

The Radio Pouch is the new generation holster for radios of all sizes when working at height.

SPECIFICATION

Integrated climbing cord adjustment system accommodates all common radio styles / Intelligent design maintains instant access to radio controls / Dual Mega Mesh™ layering delivers durability and protection whilst ensuring audio quality is not compromised / Radio clip is still accessible and usable thanks to low back feature / Metal-free construction with non-conductive, lightweight ballistic plastic D Ring / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 140mm [H] x 80mm [W] x 50mm [D]



Phone Case

1KG / 2.2LBS
101383

The Phone Case provides a safe tether point for a tool lanyard whilst retaining the full smartphone functionality, including the camera.

SPECIFICATION

Developed to work with all common smartphones including camera compatibility / Soft Touch screen protector retains full touch functionality / Carefully engineered not to compromise audio quality of the phone / In case charging slot allows trouble-free charging cable connection / Non-conductive, lightweight plastic D Ring to tool lanyard attachment / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 180cm (H) x 10cm (W)



Tablet Case

3KG / 6.6LBS
101384

The Tablet Case makes it safe and easy to use iPads and other similarly sized electronic equipment when working at height.

SPECIFICATION

Designed to work with all popular tablets, such as iPad(R), making it ideal for inspection work / Soft Touch screen protector retains full touch functionality / 3 Camera apertures for compatibility with common tablet camera positions / Non-conductive, lightweight plastic D Ring attachment points / Useful shoulder strap included for convenient carrying / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 30cm (H) x 22cm (W)



Tape Measure Tether

1KG / 2.2LBS
101414

The Tape Measure Tether is specifically engineered to stop falling tape measures and boasts of full adjustability.

SPECIFICATION

Easy hook and loop adjustability accommodates many tape measure sizes / Sturdy, compact metal belt clip / Strong welded D Ring for quick attachment / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 10cm [H] x 10cm [W] x 7cm [D]



Bottle Holder

1KG / 2.2LBS
101550

A really simple way to secure any bottle, spray can, aerosol or canister when working at height.

SPECIFICATION

Heavy wearing neoprene construction gives good durability and a comfortable grip onto the bottle or can / Military grade ballistic nylon buckles and clips - they aren't going to break! / Height adjustment strap means that this will work for bottles from 16cm-21cm [6"-8"] tall / Diameter 70mm [2.7"] / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified [2:1 safety factor]



Tool Lanyards



Bungee Tool Lanyard


5KG / 11LBS
101372

The Bungee Tool Lanyard is one of the most popular and versatile lanyards for starting tool tethering because of its easy-stretch durable lanyard and anti-tangle 360 carabiner.

SPECIFICATION

Lightweight, fully anodised aluminium carabiner with anti-tangle swivel mechanism / High-performance secure locking gate prevents accidental opens / Extended product life with high strength, wear resistant webbing / Rugged climbing cord loop allows for quick cinching / Unique serial number for easy identification and tracking / CE marked / ANSI 121:2018 Compliant / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends 80cm to 120cm



- Serial numbered
- CE  Marked
- ANSI/ISEA 121-2018 compliant
- Third-party tested
- High visibility

View more:
neverletgo.com



Extended Bungee Tool Lanyard

5KG / 11LBS
101434

The extra length of the Extended Bungee Tool Lanyard is ideal for reach tasks or working directly from a height safety tool bag.

SPECIFICATION

Reduced bungee tension allows for precision control and comfortable handling / Equipped with Quick Clips™ for rapid connection and effortless use with gloves / Extended product life with high strength, wear resistant webbing / Faster visual inspections with contrast stitching / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends 100cm to 210cm



Heavy Duty Bungee Tool Lanyard

18KG / 39.6LBS
101373

The Heavy Duty Bungee Lanyard utilises advanced components to deliver unrivalled performance for heavy tools in the most severe environments.

SPECIFICATION

Automatic Twistlock carabiner for superior performance and security / Extra high strength webbing delivers ultimate peace of mind / Heavy duty wear protector sleeve provides an additional layer of structural protection / Powerful cinching loop constructed from the world's strongest fibre, Dyneema® / Unique serial number for easy identification and tracking / CE marked / ANSI 121:2018 Compliant / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 80cm [Relaxed] - 130cm [Extended]



Lightweight Coil Tool Lanyard

1KG / 2.2LBS
101493

Easy reach and compact connectors make the Lightweight Coil Lanyard the ultimate scaffolding tool lanyard for spanners and ratchets along with other small hand tools at height.

SPECIFICATION

Compact 360° connectors designed for scaffolding spanners and small tools / Low recoil force makes it ideal for extended periods of use / Anti-puncture wipe clean sleeve makes cleaning easy / Toughened inspection tag is built for harsh environments / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: Extends 48cm to 180cm



Mini Coiled Tool Lanyard

1KG / 2.2LBS
101371

The Mini Coiled Tool Lanyard is the perfect metal-free tool lanyard for small electronics and tools.

SPECIFICATION

Ultra compact design stays neatly out of the way and reduces snagging hazards / Sleek non-conductive 360 connector / Detachable micro loop is ideal for electronic equipment and small devices / Advanced components keep design non-conductive / Anti-puncture wipe clean sleeve makes cleaning easy / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends from 30cm to 95cm



ADDITIONAL CONNECTORS
5 PACK
1KG / 2.2LBS
101547

Coiled Tool Lanyard

3KG / 6.6LBS
101370

The Coiled Tool Lanyard combines great reach and compact lightweight design with tangle-free double action carabiners.

SPECIFICATION

Ultra compact design stays neatly out of the way and reduces snagging hazards / Lightweight, fully anodised aluminium carabiner with anti-tangle swivel mechanism / High-performance secure locking gate prevents accidental opens / Dual spin connector design eradicates coil tension during use / Anti-puncture wipe clean sleeve makes cleaning easy / Robust aircraft cable core builds in dependable protection / Unique serial number for easy identification and tracking / CE marked / ANSI 121:2018 Compliant / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 10cm [Relaxed] - 170cm [Extended]



Extended Coil Tool Lanyard

3KG / 6.6LBS
101476

The Extended Coil Tool Lanyard balances lightweight componentry, compact design and exceptional reach to make a great tool lanyard for extended use.

SPECIFICATION

Low recoil force makes it ideal for extended periods of use / Equipped with Quick Clips™ for rapid connection and effortless use with gloves / PU core is both strong and lightweight / Toughened inspection tag is built for harsh environments / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: Extends from 14cm to 210cm



Adjustable Wristband

3KG / 6.6LBS
101365

The Adjustable Wristband pairs with a short coiled tool lanyard to make a popular and functional combination for small hand tools.

SPECIFICATION

High comfort durable elasticated webbing provides ergonomic all-day comfort / Quickly adjusts to any wrist size with Velcro fastening / Anchor Use - can be utilised as an anchor point on rail or scaffolding / Tether Use - can be used to tether cylindrical objects such as spray cans / Advanced components keep design non-conductive / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 38cm x 5cm



Wristband Setup



101365



101364

OR



101376

Max Recommended Load: 1 KG / 2.2LBS

Short Coiled Lanyard, Quick Clip™

3KG / 6.6LBS
101364

The ultra compact design of the Short Coiled Tool Lanyard makes it ideal for wristband use or confined spaces.

SPECIFICATION

Ultra compact design stays neatly out of the way and reduces snagging hazards / Ideal for use with Wristband / Equipped with Quick Clips™ for rapid connection and effortless use with gloves / Dual spin connector design eradicates coil tension during use / Anti-puncture wipe clean sleeve makes cleaning easy / Robust aircraft cable core builds in dependable protection / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified (2:1 safety factor) / Dimensions: Extends 4cm to 70cm



Short Coiled Lanyard, Non Conductive

1KG / 2.2LBS
101376

The ultra compact metal-free design of the Non Conductive Short Coiled Tool Lanyard makes it ideal for wristband use and electrical work.

SPECIFICATION

Ideal for use with Wristband / Sleek non-conductive 360 connector / Dual spin connector design eradicates coil tension during use / Advanced components keep design non-conductive / Anti-puncture wipe clean sleeve makes cleaning easy / Toughened inspection tag is built for harsh environments / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified (2:1 safety factor) / Dimensions: Extends from 4cm to 70cm





Entry-level tool lanyards that you can trust

NLG GO™ Webbing Tool Lanyard

5KG / 11LBS

25cm
101552



100cm
101436

150cm
101435

The Webbing Tool Lanyard provides a great value and dependable option for securing tools at height.

SPECIFICATION

Equipped with Quick Clips™ for rapid connection and effortless use with gloves / Dual spin connectors to prevent tangling / Extended product life with heavy duty narrow weave webbing / Faster visual inspections with contrast stitching / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor]



NLG GO™ Bungee Tool Lanyard

3KG / 6.6LBS
101518


Twin Carabiner

101519

The NLG GO™ Bungee Tool Lanyard is a great lightweight entry-level tool lanyard for tradespeople.

SPECIFICATION

Lightweight, anodised aluminium carabiners / High-performance secure locking gate prevents accidental opens / Rugged climbing cord loop allows for quick cinching / Faster visual inspections with contrast stitching / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: Extends 70cm to 120cm



NLG GO™ Wrist Lanyard

3KG / 6.6LBS
101599

Entry-level tool tethering wrist band with integrated lanyard.

Super Heavy Duty Webbing Lanyard

38KG / 83.6LBS
101374

The Super Heavy Duty Tool Lanyard is expertly constructed for the heaviest tools at height, with the extra length making it ideal for working platforms.

SPECIFICATION

Automatic Twistlock carabiner for superior performance and security / Extra high strength webbing delivers ultimate peace of mind / Heavy duty wear protector sleeve provides an additional layer of structural protection / Faster visual inspections with heavy-duty contrast stitching / Unique serial number for easy identification and tracking / CE marked / ANSI 121:2018 Compliant / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 190cm



Super Bungee Tool Lanyard

20KG / 44LBS
101419

The NLG Super Bungee Tool Lanyard comfortably stretches over 3 metres allowing for the safe use of heavy tools on platforms when working at height.

SPECIFICATION

Low recoil force and extra long reach makes it ideal for elevated platform use / Compact design reduces snagging hazards / Double action automatic locking carabiner for safer securing / Heavy duty wear protector sleeve provides an additional layer of structural protection / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: Extends 160cm to 340cm



Bungee Chainsaw Lanyard

10KG / 22LBS
101609

Developed with input from the most respected names in the Arb world – this is the optimum bungee chainsaw lanyard.

SPECIFICATION

Extended product life with high strength, wear-resistant, hi-vis nylon webbing / Bungee feature ensures that it is a minimum snagging hazard and reduces shock loading / Half twist ends on the lanyard ensure that both ends sit flat when installed on the saw and the harness / Unique serial number for easy identification and tracking / CE marked / UKCA Marked / Dynamic load tested and third-party certified [2:1 safety factor] / 25mm wide webbing / Dimensions: 85cm [relaxed] to 130cm [extended]



Flat Webbing Chainsaw Lanyard

10KG / 22LBS
101608

SPECIFICATION

Extended product life with high strength, wear-resistant, hi-vis, nylon webbing / Faster visual inspections with contrast stitching / Half twist ends on the lanyard ensure that both ends sit flat when installed on the saw and the harness / Complete with 44mm O ring / Unique serial number for easy identification and tracking / CE marked / UKCA Marked / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: 25mm [width of webbing] 1.3M length / Max Load: 10KG [22lbs]



Mini Retractable Tool Lanyard

0.5KG / 1.1LBS
101480

Ratchet Retractable 101564

As the ultimate small retractable tool lanyard, the Mini Retractable Lanyard boasts of a sturdy build quality and strong cable.

SPECIFICATION

Very compact lightweight unit ideal for holster and pouch use / PU coated wire cable is durable and easy to clean / Retractable design reduces snagging hazards in confined spaces / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends from 17cm to 138cm



Locking Retractable Tool Lanyard

1.5KG / 3.3LBS
101389

The low profile Locking Retractable Tool Lanyard features a locking mechanism that allows the lanyard to be locked out while the tool is in use.

SPECIFICATION

Locking mechanism allows instant lock-out at any point / Resilient double action stainless steel carabiners / Retractable design reduces snagging hazards in confined spaces / Anti-tamper security markings protect unit integrity / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends from 30cm to 140cm



Heavy Duty Retractable Lanyard

3KG / 6.6LBS



The rugged construction of the Heavy Duty Retractable Tool Lanyard makes it fit for the toughest conditions, finished with 3 anti-tangle connector options. A further 2 attachment variants for quick anchorage, make it the most robust retractable system.

SPECIFICATION

Fully rubberised ABS housing with improved skeletal frame for the harshest environments / Removable back bridge offers versatility with direct connection to belt or harness / PU coated wire cable is durable and easy to clean / Retractable design reduces snagging hazards in confined spaces / Use 101455 Attachment Loop for fast anchoring / Ideal for fixed anchor point work / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends from 20cm to 135cm



Retractable Attachments

5KG / 11LBS
Loop 101455
Quick Clip™ 101456

Helmet Lanyard

101358

The hi-vis, high-stretch elastic design of the Helmet Lanyard make it the cost-effective and comfortable choice to keep hard hats safe at height.

SPECIFICATION

Hi-vis design provides easy visibility and promotes site compliance / High-stretch elasticated webbing is comfortable and keeps out of the way / Universal compatibility means the lanyard works with any helmet and quickly attaches to the accessory slot or internal harness / Unique Tough Teeth™ clip design is effortless to attach, even with gloves on / Safety breakaway feature ensures user safety near moving parts or machinery / Great value makes it ideal for high volume construction site use / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 40cm x 2cm



Coiled Helmet Lanyard

1KG / 2.2LBS
101399

The Coiled Helmet Lanyard is easy to clean and maintain and provides a compact high-performance alternative to the webbing helmet lanyard.

SPECIFICATION

Ultra compact design stays neatly out of the way and reduces snagging hazards / Universal compatibility means the lanyard works with any helmet / Unique Tough Teeth™ clip design is effortless to attach, even with gloves on / Safety breakaway feature ensures user safety near moving parts or machinery / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: Extends from 35cm to 80cm



Anchor Points



Adjustable Wristband

3KG / 6.6LBS
101365

The Adjustable Wristband pairs with a short coiled tool lanyard to make a popular and functional combination for small hand tools.

SPECIFICATION

High comfort durable elasticated webbing provides ergonomic all-day comfort / Quickly adjusts to any wrist size with Velcro fastening / Anchor Use - can be utilised as an anchor point on rail or scaffolding / Tether Use - can be used to tether cylindrical objects such as spray cans / Advanced components keep design non-conductive / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 38cm x 5cm



Superlight Safety Tool Belt

30KG / 66LBS
101420

A Superlight Safety Tool Belt that comfortably takes on the heavyweight with clever inside size adjustment leaving the outside clean and snag free.

SPECIFICATION

Innovative inside size adjustment means one size fits all / Advanced components keep design lightweight, non-conductive and snag free / High strength, wear resistant padded webbing for comfortable all-day use / Heavy duty triple action buckle prevents accidental opens / Unique serial number for easy identification and tracking / CE marked / Load tested and third party certified [4:1 safety factor] / Size Adjustment Range: 30" - 55" [75cm - 140cm]





Belt Loop Anchor

3KG / 6.6LBS
101366

The Belt Loop Anchor makes it effortless to add additional attachment points to your existing work belt.

BiLock™ Velcro Anchor

3KG / 6.6LBS
101422


The BiLock™ Velcro Anchor utilises clever dual Velcro layering allowing it to be attached to virtually anything and features a docking pad for compatible holsters.



TriLock™ Velcro Anchor

10KG / 22LBS
101454

The TriLock™ Velcro Anchor utilises clever triple Velcro layering to deliver exceptional tensile strength and make a fast fitting anchor.






Heavy Duty Anchor Choke™

40KG / 88LBS
101494

The Heavy Duty Anchor Choke™ wraps quickly around beams, scaffolding and railings to give a secure anchor point for tool lanyards and buckets.

SPECIFICATION

Twin securing arm guards against movement on rails and allows it to be used as a tether point on tools / Optimised V-Ring design for extreme performance / Works with Tether Tape™ / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified [2:1 safety factor] / Dimensions: 600mm x 25mm [twin arm 150mm]



Storage



Aero Pouch™

5KG / 11LBS
101400

Featuring an innovative valve closure system, the Aero Pouch™ is the safest way to keep small parts and fixings at your side when working at height.

SPECIFICATION

Unique self-closure valve system is always active to remove chance of user error / Easy access to small parts inside as it does not need to be opened or closed / Dual layer Mega Mesh™ side panels give improved visibility, drainage and ventilation / 2 Integrated anchor points for convenient tool lanyard attachment / Universal fit with Quick Connect™ buckles for easy attachment to belt, harness or rail / Rear D Ring allows for attachment via carabiner if preferred / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified [2:1 safety factor] / Dimensions: 25cm [H] x 20cm [W] x 10cm [D]

Clear Aero Pouch™

5KG / 11LBS
101573



101400



Ascent Pouch™

5KG / 11LBS
101520



The NLG Ascent Pouch™ redefines the rope access tool bag with a focus on safety and ergonomics.

SPECIFICATION

Unique tapered 'D' profile improves capacity, internal visibility and ergonomics / Drop prevention closure system folds neatly out of the way when not required / 4 integrated anchor points for multiple tool lanyard attachment / Rotating twistlock carabiner maintains natural pouch positioning in use / Rear loops offer belt mounting or direct attachment to a harness or rail / Super strong Ascent™ side modules give structural support whilst the external gear loops provide easy staging and extra storage / Removable reinforced base plate protects against piercing from sharp tools / Integrated Drain Vent keeps the pouch in optimal working condition, even in wet weather / Constructed from heavy duty PVC which is both UV stabilised and mildew resistant / Easy wipe clean coating makes light work of maintenance / Structurally engineered to withstand dynamic impact forces / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Load tested and third-party certified (5:1 safety factor) / Dimensions: 20cm x 18cm x 30cm / Capacity: 7 Litre / Internal Anchor Max Load: 5KG (11lbs)



Retractable Tool Holster

5KG / 11LBS
101591


This holster has a built-in retractable ratchet lanyard, making it the ultimate tool holster for working at height. With an additional two approved anchor points and a universal attachment for all belts and harnesses, the NLG Tool Holster is a great product for any professional at height.

SPECIFICATION

Built-in ratchet retractable lanyard / Unique Magnox™ magnetic plate ensures added security and holds tools in place once inserted in the holster / Mega Mesh™ lining for improved visibility and wear / 2 Integrated anchor points for convenient tool lanyard attachment / Universal fit with Quick Connect™ buckles for easy attachment to belt, or harness / Unique serial number for easy identification and tracking / CE marked / ANSI/ISEA 121-2018 compliant / Dynamic load tested and third-party certified (2:1 safety factor) / Dimensions: 22cm (H) x 10cm (W) x 5cm (D) / D Ring Anchor Max Load: 5KG (11lbs) (holster only, not lanyard) / Max Load: 5KG (11lbs) (holster only) / Lanyard extends to 1.2M / Lanyard load rated to 1KG (2.2lbs)



COMES WITH
101564 BUILT IN





Tool Holster

5KG / 11LBS
101470



The Tool Holster has been specifically developed for use with tools at height. The unique magnetic plate provides added security for tethered tools and creates an adaptable anchor point for many applications.

SPECIFICATION

Unique Ultra-Mag plate ensures added security and holds tools in place once inserted in the holster / Mega Mesh™ lining for improved visibility and wear / 2 Integrated anchor points for convenient tool lanyard attachment / Universal fit with Quick Connect™ buckles for easy attachment to belt, or harness / Unique serial number for easy identification and tracking / CE marked / Dynamic load tested and third party certified (2:1 safety factor) / Dimensions: 22cm (H) x 10cm (W) x 5cm (D) / D Ring Anchor Max Load: 5KG (11lbs) Each

Hammer Holster

5KG / 11LBS
101496



The NLG Hammer Holster overcomes all the associated problems with traditional holsters and tethered tools, so now you can stop lanyards snagging when you are holstering your hammer.



SPECIFICATION

Robust cradle arms to quickly catch and secure the hammer
/ 2 Integrated anchor points for convenient tool lanyard attachment
/ Universal fit with Quick Connect™ buckles for easy attachment to belt, or harness
/ Unique serial number for easy identification and tracking
/ CE marked
/ ANSI/ISEA 121-2018 compliant
/ Dynamic load tested and third-party certified [2:1 safety factor]
/ Dimensions: 18cm (H) x 11cm (W) x 6cm (D)
/ D Ring Anchor Max Load: 5KG [11lbs]



Heavy Duty Hammer Holster

10KG / 22LBS
101606



Stainless Steel, side loading captive hammer holster - designed to prevent the lanyard from snagging, and make it a simple single action to holster the hammer.

SPECIFICATION

Stainless Steel (#304) / Hooked shape of the gate allows the hammer to snap straight in / Fits onto any webbing/leather belt up to 50mm [2"] wide / Unique shape of the holster means that the hammer can be "side loaded" into the holster by snapping it in, and can only come out by being pulled up through the holster / The design prevents the lanyard snagging on the holster / Hammer is secure at all times when working at height. / Dynamic load tested and third-party certified [2:1 safety factor] / Load Rating: 10KG


Ascent Bucket™

125KG / 275LBS
101360

The Ascent Bucket™ is the world's most advanced lifting and storage bucket for working at height.

SPECIFICATION

Heavy duty Mega Mesh™ closure system developed for easy viewing of contents even when closed / Drop prevention closure system folds neatly out of the way when not required / Super strong structural webbing sewn through walls and base for ultimate peace of mind / Toughened composite base plate protects against piercing from sharp tools / Coated leather base sleeve delivers extra wear and abrasion resistance / Hoisting strap with burly twistlock carabiner allows secure load control when lifting with a crane or winch, as well as anchoring when stationary / 6 integrated anchor points (5kg each) for multiple tool lanyard attachment / External daisy chain anchor loops for PPE and staging use / Constructed from heavy duty PVC which is both UV stabilised and mildew resistant / Structurally engineered to withstand dynamic impact forces / Easy wipe clean coating makes light work of maintenance / Outer ID pocket for efficient identification / Unique serial number for easy identification and tracking / CE marked / Load tested and third party certified (4:1 safety factor) / Dimensions: 40cm [H] x 32cm [D] / Capacity: 32 Litre



Ascent Bucket™ Lid

101412

The Ascent Bucket™ Lid is a sensible addition to the Ascent Bucket™, preventing water or fine debris coming in and an extra safety device to stop the contents coming out.

SPECIFICATION

Works with Ascent Bucket™ to prevent water ingress in extreme weather / Features sturdy adjustable Quick Connect™ buckles for faster fitting / Constructed from heavy duty PVC which is both UV stabilised and mildew resistant / Structurally engineered to withstand dynamic impact forces / Easy wipe clean coating makes light work of maintenance / Unique serial number for easy identification and tracking / CE marked / Dimensions: 32cm (Diameter) x 9cm (H)




Ascent Bucket™ Liner

101359

A practical addition to the Ascent Bucket™, the Bucket Liner provides extra protective structure and storage pockets.

SPECIFICATION

Works with Ascent Bucket™ to provide rigid body structure and increased content protection / Four internal pockets for handy access and tool organisation / Fast installation with easy Velcro fastening / Simply store flat when not in use to minimise space requirement / Unique serial number for easy identification and tracking / CE marked / Dimensions: 98cm (L) x 26cm (W)



MEWP Bag

30KG / 66LBS
101423

The MEWP Tool Bag is a large tool bag designed to quickly attach an approved rail on an elevated working platform or scaffold.

SPECIFICATION

Main compartment divided into 3 organisation pockets making it ideal for shared workspaces / Features lightweight hi vis Mega Mesh™ lining for improved internal visibility / 4 External pockets for storage of small parts and tools / 7 Integrated anchor points (5kg each) for multiple tool lanyard attachment / TriLock™ Velcro mounting straps for easy attachment to rail or scaffolding / Stabilisation loops attach quickly to a lower rail to provide extra stability / Constructed from heavy duty PVC which is both UV stabilised and mildew resistant / Structurally engineered to withstand dynamic impact forces / Easy wipe clean coating makes light work of maintenance / 3 drain vents built in to keep tool bag ventilated and dry / Hi vis reflective bars improve safety and detection in low light conditions / Unique serial number for easy identification and tracking / CE marked / Load tested and third party certified (4:1 safety factor) / Dimensions: 37cm (H) x 45cm (W) x 15cm (D)



Linesman Bag

30KG / 66LBS
101421



The Linesman Bag is a versatile tool tethering bag with a complete closure system built in and 8 anchor points for tool lanyards.

SPECIFICATION

Heavy duty drop prevention closure system ensures tools are contained / Top rolls neatly out of the way with intelligent Velcro positioning / Features lightweight hi vis Mega Mesh™ lining for improved internal visibility / 8 integrated anchor points [5kg each] for multiple tool lanyard attachment / 4 external tool holders provide full tool tethering setup / Constructed from heavy duty PVC which is both UV stabilised and mildew resistant / Structurally engineered to withstand dynamic impact forces / Easy wipe clean coating makes light work of maintenance / Drain vents built in to each pocket to keep tool bag ventilated and dry / Universal fit with Quick Connect™ buckles for easy attachment to belt, harness or rail / Unique serial number for easy identification and tracking / CE marked / Load tested and third party certified [4:1 safety factor] / Dimensions: 35cm [H] x 30cm [W] x 10cm [D] / Capacity: 10.5L

Tall Tool Bag

20KG / 44LBS
101492

The NLG Tall Tool Bag has been designed to keep longer tools safely stored when working at height and provides 6 conveniently integrated anchor points for tool lanyards.

SPECIFICATION

Heavy duty drop prevention closure system ensures tools are contained / Features lightweight hi-vis NLG Mega Mesh™ lining for improved internal visibility / 6 integrated anchor points (5KG each) for multiple tool lanyard attachment / 4 external tool holders provide full tool tethering setup / Adjustable sliding centre belt loop to improve compatibility and stability / CE marked / Load tested and third-party certified (4:1 safety factor) / Dimensions: 40cm (H) x 20cm (W) x 10cm (D) / Capacity: 8L / D Ring Anchor Max Load: 5KG (11lbs) Each



Transit Bag

50KG / 110LBS
101491

The NLG Transit Bag is a large drop prevention bag that has been developed for storing and lifting large equipment safely when working at height.


SPECIFICATION

Large main compartment makes it ideal for large equipment and shared workspaces / Webbing reinforced structure with Dyneema® load stabilisation system / 3 Double action automatic locking carabiners for safer securing / 2 Twistlock carabiners for easy side panel adjustment / 5 Integrated anchor points / Unique serial number for easy identification and tracking / CE marked / Load tested and third-party certified (4:1 safety factor) / Dimensions: 55cm (H) x 72cm (W) x 30cm (D) / Capacity: 100L / D Ring Anchor Max Load: 5KG (11lbs) Each



Kits

The easy way to start,
with everything in one pack.
neverletgo.com/kits



Mobile Phone Tool Tethering Kit

101560

THIS KIT INCLUDES:

- NLG Phone Case [101383]
- NLG Mini Coil Tool Lanyard [101371]
- NLG BiLock™ Velcro Anchor [101422]



Radio Tool Tethering Kit

101661

THIS KIT INCLUDES:

- NLG Radio Holster [101418]
- NLG Mini Coil Tool Lanyard [101371]
- NLG BiLock™ Velcro Anchor [101422]




Screwdriver Tool Tethering Kit

101556

THIS KIT INCLUDES:

- NLG 8 Ring Adaptor, Large [101427]
- NLG Short Coil Tool Lanyard,
Quick Clip™ [101364]
- NLG Adjustable Wristband [101365]



Find more at:
neverletgo.com/kits

Tape Measure Tool Tethering Kit

101553

THIS KIT INCLUDES:

NLG Tape Measure Tether (101414)
NLG Lightweight Coil Tool Lanyard (101493)




Nips Tool Tethering Kit

101559

THIS KIT INCLUDES:

NLG 360 D Ring Locking Loop Tool Tether (101495)
NLG Tether Tape™ (101355)
NLG Extended Coil Tool Lanyard (101476)
NLG Tool Holster (101470)




Hammer Tool Tethering Kit

101554

THIS KIT INCLUDES:

NLG Tether Loop™, 150 (101381)
NLG Bungee Tool Lanyard (101372)
NLG Hammer Holster (101496)



Find more at:
neverletgo.com/kits

5 Tool Modular Tethering Kit

101538

THIS KIT INCLUDES:

- 1 x NLG Tether Tape™ (101355)
- 2 x NLG Large D Ring Tool Tether (101362)
- 3 x NLG Small D Ring Tool Tether (101361)
- 1 x NLG Short Coil Lanyard (101364)
- 1 x NLG Adjustable Wristband (101365)



10 Tool Modular Tethering Kit

101539

THIS KIT INCLUDES:

- 2 x NLG Bungee Tool Lanyard (101372)
- 1 x NLG Belt Loop Anchor (101366)
- 1 x NLG Tether Tape™ (101355)
- 4 x NLG Large D Ring Tool Tether (101362)
- 4 x NLG Small D Ring Tool Tether (101361)
- 1 x NLG 360 D Ring Loop Tool Tether (101363)
- 1 x NLG Tether Loop™, 150 (101381)



25 Tool Modular Tethering Kit

101540

THIS KIT INCLUDES:

- 1 x NLG Bungee Tool Lanyard (101372)
- 1 x NLG Heavy Duty Bungee Tool Lanyard (101373)
- 1 x NLG Belt Loop Anchor (101366)
- 1 x NLG Short Coil Tool Lanyard, Quick Clip™ (101364)
- 1 x NLG Adjustable Wristband (101365)
- 2 x NLG Tether Tape™ (101355)
- 8 x NLG Large D Ring Tool Tether (101362)
- 8 x NLG Small D Ring Tool Tether (101361)
- 2 x NLG Tether Ring™, Medium (101273)
- 2 x NLG Tether Ring™, Large (101275)
- 2 x NLG Tether Loop™, 150 (101381)
- 1 x NLG 8 Ring Adaptor, Medium (101426)
- 1 x NLG 8 Ring Adaptor, Large (101427)
- 1 x NLG 360 D Ring Loop Tool Tether (101363)





50 Tool Modular Tethering Kit

101614

THIS KIT INCLUDES:

- 5 x NLG Go Bungee Lanyard [101518]
- 2 x Short Coil Lanyard with quick clips [101364]
- 2 x Wristband [101365]
- 4 x Tether Tape [101355]
- 16 x Large D Ring [101362]
- 16 x Small D Ring [101361]
- 4 x Medium Tether Ring [101273]
- 4 x Large Tether Ring [101275]
- 2 x Tether Loop [101381]
- 2 x 8 Ring adaptor and rubber collar [101426]
- 2 x 360 D Ring Loop [101363]
- 1 x HD Bungee Lanyard [101373]
- 1 x Single Arm Tether Choke [101368]
- 1 x Clear Aero Pouch [101573]
- 1 x Ascent Pouch [101520]




100 Tool Modular Tethering Kit

101615

THIS KIT INCLUDES:

- 5 x NLG Go Bungee Lanyard [101518]
- 5 x NLG Double Carabiner Go Lanyard [101519]
- 4 x Short Coil Lanyard with quick clips [101364]
- 4 x Wristband [101365]
- 8 x Tether Tape [101355]
- 30 x Large D Ring [101362]
- 30 x Small D Ring [101361]
- 10 x Medium Tether Ring [101273]
- 10 x Large Tether Ring [101275]
- 4 x 150mm Tether Loop [101381]
- 4 x 8 Ring adaptor and rubber collar [101426]
- 4 x 360 D Ring Loop [101363]
- 1 x HD Bungee Lanyard [101373]
- 1 x Single Arm Tether Choke [101368]
- 1 x Tether Choke [101367]
- 1 x Clear Aero Pouch [101573]
- 1 x Ascent Pouch [101520]
- 1 x Ascent Bucket [101360]



Find more at:
neverletgo.com/kits

Telecoms Tool Tethering Kit

101617

Tool Tethering Kit, specifically designed to telecoms professionals - and tailored to the tools they use and their working environment.

THIS KIT INCLUDES:

- 2 x Extended Coil Lanyard(101476)
- 3 x Small D Ring (101361)
- 3 x Large D Ring (101362)
- 5 x Medium Tether Ring (101273)
- 5 x Large Tether Ring (101275)
- 5 x Small Tether Ring (101466)
- 2 x Tether Tape (101355)
- 2 x 360 D Ring Loop (101363)
- 2 x Extended Bungee Lanyard (101434)
- 1 x HD Bungee Lanyard (101373)
- 2 x Medium 8 Ring adaptor (101426)
- 2 x Large 8 Ring adaptor (101427)
- 1 x Ascent Pouch (101520)
- 1 x Aero Pouch (101400)
- 1 x Mini Coil Lanyard (101371)
- 1 x Phone Case (101383)



Linesman Tool Tethering Kit

101618

Tool Tethering kit for overhead power line workers. This kit works for HV or LV linesmen.

THIS KIT INCLUDES:

- 1 x Linesman Bag (101421)
- 2 x Extended Bungee Lanyard (101434)
- 1 x Extended Coil Lanyard (101476)
- 1 x HD Bungee Lanyard (101373)
- 1 x Tether Tape (101355)
- 2 x Large D Ring (101362)
- 3 x Small D Ring (101361)
- 1 x Tether Shackle Large (101603)
- 1 x Tether Shackle Medium (101602)



Wind Tool Tethering Kit

101616

Tool Tethering kit designed specifically for Wind Technicians.

THIS KIT INCLUDES:

- 2 x Large D Ring [101362]
- 3 x Small D Ring [101361]
- 1 x Tether Tape [101355]
- 2 x Mini Adhesive D Ring [101481]
- 5 x Medium Tether Ring [101273]
- 5 x Large Tether Ring [101275]
- 1 x Wristband [101365]
- 1 x Short Coil Lanyard [101364]
- 1 x Phone Case [101383]
- 1 x Extended Bungee Lanyard [101434]
- 1 x Bungee Lanyard [101372]
- 2 x Mini Coil Lanyard [101371]
- 1 x Mini Ratchet Retractable [101564]
- 1 x HD Bungee Lanyard [101373]
- 1 x Trilock Velcro Anchor [101454]
- 1 x Ascent Pouch [101520]
- 1 x Aero Pouch [101400]



Rope Access Tool Tethering Kit

101619

Great starting kit for rope access specialists.

THIS KIT INCLUDES:

- 1 x Ascent Pouch [101520]
- 1 x Mini Coil Lanyard [101371]
- 1 x Mini Adhesive D Ring [101481]
- 1 x Coil Lanyard [101370]
- 1 x Bungee Lanyard [101372]
- 1 x HD Bungee Lanyard [101373]
- 1 x Tether Choke Single Arm [101368]
- 1 x Tether Tape [101355]
- 2 x Small D Ring [101361]
- 2 x Large D Ring [101362]
- 2 x Tether Loop [101380]



Construction Tool Tethering Kit

101542

Versatile tool tethering kit for
general construction workers.

THIS KIT INCLUDES:

- 2 x NLG G0™ Bungee Tool Lanyard (101518)
- 1 x NLG Superlight Safety Tool Belt (101420)
- 2 x NLG Belt Loop Anchor (101366)
- 1 x NLG Tether Tape™ (101355)
- 2 x NLG Large D Ring Tool Tether (101362)
- 3 x NLG Small D Ring Tool Tether (101361)



MEWP Tool Tethering Kit

101541

Specialist tool tethering kit for
working on elevating platforms.

THIS KIT INCLUDES:

- 1 x NLG MEWP Bag (101423)
- 5 x NLG Extended Bungee Tool Lanyard (101434)
- 1 x NLG Tether Tape™ (101355)
- 4 x NLG Large D Ring Tool Tether (101362)
- 4 x NLG Small D Ring Tool Tether (101361)

Accessories



Carabiners

Small

5KG / 11LBS

101525

SPECIFICATION

Internal dimensions: 65mm x 30mm
[2.5" x 1.2"] / Gate Opening: 16mm
[0.63"]

Heavy Duty (Internal Wiregate)

50KG / 110LBS

101549

SPECIFICATION

Internal dimensions: 80mm x 50mm
[3.1"-1.96"] / Gate Opening: 20mm
[0.78"]



Weak Link Connector

1KG / 2.2LBS

101491

The NLG Weak Link Connector can be introduced to any tool tethering system to create a break-away.

SPECIFICATION

4mm Red cord with an engineered weak stitch that is designed to break when exposed to forces over 20KG / Yellow warning label tells users that it limits the entire tethering system to 1KG / Designed to be placed between the anchor point and the lanyard in the tethering system, it will allow the lanyard to become disconnected from the user should they get pulled into moving machinery. / Engineered breaking strain: 24KG / Length: 160mm / Load Rating: 1KG



Pre-Tethered Tools



Knipex End Cutters
[Steelfixers Nips]
101611



Podger Spanner
101612

SEE MORE AT NEVERLETGO.COM

Drilling Service

Need permanent tether points installed on your tools? No problem. Our engineers will fit a certified tether point on any tool.


neverletgo.com

Constultancy

Don't struggle trying to implement a drop prevention plan by yourself. We can help. We've done this with large global companies. We've learnt the pitfalls and we know the shortcuts to implementation.

Book an appointment with one of our expert consultants.

neverletgo.com



7 Framework

Every safety leader wants to stop drops.
But where do you start?

The NLG 7 Framework™ is a simple step-by-step plan that maps out your journey towards a Zero Drop Zone™. It's used by the world's most progressive organisations to deliver successful dropped object prevention policies, every time. Now you can use it too.

You'll make your workplace even safer — with less hassle. And we're here to guide you.

1 / Workshop

We'll introduce dropped tool prevention concepts and help identify project scope.

2 / Site Awareness

Together, we'll start engaging users with toolbox talks and free awareness videos and site posters.

3 / Trial

Begin testing a proof of concept with a small team and initiate any bespoke product development.

4 / Policy Template

To save you time, we've compiled everything you need into the most comprehensive Drop Prevention document for you to use.

5 / Training

With a range of training tools from the NLG Academy, it's easy ensure users really understand and provide certificates of competency.

6 / Site Setup

We'll make sure your workplace is ready for Launch Day with supply partners and channels agreed and Tether Stations and Learning Hub Boards in place.

7 / Spread the word

We'll have collected a full pack of photos, information and a project profile along the way - this is a good time to share successes and learnings with the rest of your team (and beyond).

Bonus / Free Follow-up Consultation

We'll setup a 90 day review meeting to check everything is running as you expected, address challenges and develop future improvements.

Get started
neverletgo.com/start



NLG

Safety Academy™

Get certified, online and onsite

Introducing the new standard in drop prevention and tool tethering training. With Level 1, 2 and 3, you can be confident your team is qualified.

neverletgo.com

Choose your site board



LARGE LEARNING HUB BOARD
100cm x 200cm
101467




123 SERIES
4 x A2 Size
101468

Workshop

Stopping drops starts here.

Answer a few simple questions online to get your personalised 7-step drop prevention action plan.

neverletgo.com/start



NLG
Units 1-2 Abbey Business Park
Holton Heath, Poole, BH16 6NN
United Kingdom

+44 [0]330 016 0030
team@neverletgo.com

neverletgo.com